

# POWERFLEX

## MOTORIZED FLEXIBLE CONVEYORS

---



### Type **PF15** **POWERFLEX** Rollers Ø 40 mm

---

- Very robust Construction
- Drive capacity: 150 kg/metre
- Castors Ø 150x50 mm
- Standard roller pitch 127 mm  
Available options: pitch 76 and 102 mm
- Bright zinc plated rollers Ø 40 mm
- Adjustable height: 800 to 1100 mm
- Available in any length
- Speed regulation: from 5 to 60 cm/sec
- Electrical connection: single phase 230V

### Type **PF19** **POWERFLEX** Rollers Ø 50 mm

---

- Very robust Construction
- Drive capacity: 150 kg/metre
- Castors Ø 200x50 mm
- Standard roller pitch 127 mm  
Available options: pitch 76 and 102 mm
- Bright zinc plated rollers Ø 50 mm
- Adjustable height: 725 to 950 mm
- Available in any length
- Speed regulation: from 5 to 60 cm/sec
- Electrical connection: single phase 230V



Type **PF15**  
**POWERFLEX**  
 Rollers Ø 40 mm

EXAMPLE	Lengths Expanded & Closed
<b>Width 600 mm</b>	14.6 m - 4.9 m 18.3 m - 6.1 m 19.6 m - 6.6 m 30.5 m - 10.2 m Any length available
<b>Width 750 mm</b>	14.6 m - 4.9 m 18.3 m - 6.1 m 19.6 m - 6.6 m 30.5 m - 10.2 m Any length available
<b>Width 900 mm</b>	14.6 m - 4.9 m 18.3 m - 6.1 m 19.6 m - 6.6 m 30.5 m - 10.2 m Any length available

Type **PF19**  
**POWERFLEX**  
 Rollers Ø 50 mm

EXAMPLE	Lengths Expanded & Closed
<b>Width 600 mm</b>	14.6 m - 6.2 m 18.3 m - 7.8 m 19.6 m - 8.3 m 30.5 m - 13 m Any length available
<b>Width 750 mm</b>	14.6 m - 6.2 m 18.3 m - 7.8 m 19.6 m - 8.3 m 30.5 m - 13 m Any length available
<b>Width 900 mm</b>	14.6 m - 6.2 m 18.3 m - 7.8 m 19.6 m - 8.3 m 30.5 m - 13 m Any length available











C O N V E Y O R S

A DURAVANT COMPANY



  
**Processosigma**

Distributor  
for Portugal & Poland

**Processosigma, Unipessoal Lda**  
FMH Conveyors Portugal & Poland  
Tel Portugal: +351 933 749 707  
Tel Poland: +48 667 087 039  
Email: [info@processosigma.com](mailto:info@processosigma.com)  
**[www.processosigma.pt](http://www.processosigma.pt)**

**WE HAVE SPECIFIC SOLUTIONS FOR YOUR APPLICATION**